EMENT BOOK

Dimensions			Contents	Reference to last Measurement
Length 4	Breadth 5	Depth 6	7	8

premeasurement :

009-16-000004

M. A. R. 57 (Rule 116)

Measurement Book

No. B 265138

Improvement and Asphalting to roads at Virupakshapura and surrounding area in ward No. 09. Vidyaranyapura sub Division

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency Surendra B.T

Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
	1) Earth work excavation by manual means in ordinary soil involving an average horizontal throw up to 2m and an average lift up to 0.5m excavated surface leveled and sides neatly dressed the disposed earth to be leveled neatly after stacking & clock complete as per specification						
	Silting of drain						
	3rd Main Road	2x3	30.00	0.45	0.45	36.45	
		2	30.00	0.45	0.45	12.15	
		2	24.00	0.45	0.45	9.72	
		1	37.00	0.45	0.45	7.49	
	cross Road	2x3	30.00	0.45	0.45	36.45	
		2	25.00	0.45	0.45	10.13	
	Maramma Temple Road	2x2	30.00	0.45	0.45	24.30	
		2	35.00	0.45	0.45	14.18	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measureme
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	New Slab Drain	1	30.00	0.60	0.60	10.80	
		1	13.50	0.60	0.60	4.86	
	Pot hole filling	1	18.40	6.00	0.20	22.08	
		1	2.00	1.80	0.20	0.72	
		1	4.60	1.00	0.20	0.92	
		1	5.30	2.40	0.20	2.54	
		1	11.60	4.60	0.20	10.67	
						203.46 m³	
	Assistant Executive Engineer Vidyaranyapura Sub Division BBMP, Bangalore - 97						
2)	Removing BS slab & drain and stacking as complete as per specification						
	3rd main Road	2x3	30.00	-	1.35	243.00	
		1	35.00	-	1.35	47.25	

Serial No. .....
Name of Work .....
Name of Contractor of nature o
Date of commencement of wor

Date	Full description, etc,
1	2
	Cross Roa
	Naramma Tem
4)	Providing a pot with opc cement metal works appro mixed concrete le in foundation plin

REMENT BOOK

Dimensions			Contents	Reference to last Measurement
Length 4	Breadth 5	Depth 6	7	8
30.00	0.60	0.60	10.80	
13.50	0.60	0.60	4.86	
18.40	6.00	0.20	22.08	
2.00	1.80	0.20	0.72	
4.60	1.00	0.20	0.92	
5.30	2.40	0.20	2.54	
11.60	4.60	0.20	10.67	
			203.46 m³	1.10.16

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	3rd main R/S Existing Drain	2x4	30.00	0.20	0.10	4.80	
		1	9.50	0.20	0.10	0.38	
		1	30.00	0.20	0.10	1.20	
		1	25.50	0.20	0.10	1.02	
		1	19.20	0.20	0.10	0.77	
	3rd main L/S New drain	2	30.00	0.20	0.10	1.20	
		2	13.50	0.20	0.10	0.54	
	Existing Drain	2	5.40	0.20	0.10	0.22	
		2	15.00	0.20	0.10	0.60	
		1	21.80	0.20	0.10	0.87	
		2x2	30.00	0.20	0.10	2.48	
		1	31.00	0.20	0.10	1.24	
		1	8.20	0.20	0.10	0.33	
	cross Roads	3x2	32.60	0.20	0.10	2.61	
		2x2	32.60	0.20	0.10	2.61	
		2x2	29.60	0.20	0.10	2.37	

Serial No. .....
Name of Work .....
Name of Contractor of nature of Ag
Date of commencement of work ....

Date	Full description, etc, of w
1	2
	Hanuman Temple
10)	Scarifying existing and disposal of stu charges complete 3rd main

REMENT BOOK

Dimensions			Contents	Reference to last Measuremen
ber	Length 4	Breadth 5	Depth 6	7	8
	30.00	0.20	0.10	4.80
	9.50	0.20	0.10	0.38
	30.00	0.20	0.10	1.20
	25.50	0.20	0.10	1.02
	19.20	0.20	0.10	0.77
	30.00	0.20	0.10	1.20
	13.50	0.20	0.10	0.54
	5.40	0.20	0.10	0.22
	15.00	0.20	0.10	0.60
	21.80	0.20	0.10	0.87
	30.00	0.20	0.10	2.48
	31.00	0.20	0.10	1.24
	8.20	0.20	0.10	0.33
	32.60	0.20	0.10	2.61
	32.60	0.20	0.10	2.61
	29.60	0.20	0.10	2.37

M. A. R. 57 (Rule 116)
Measurement Book

No. B

265140

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
	Maramma Temple Road Rly	2×3	30.00	0.20	0.10	3.60	
		1	5.00	0.20	0.10	0.20	
	LLS	2×2	30.00	0.20	0.10	2.40	
		2	5.00	0.20	0.10	0.60	
						29.95 m³	6.10.16
10)	Scarifying kankar metal/metal crust upto 150mm thick with pick axes and disposal of stuff within a lead of 100m including cost of all labours charges to complete as per specification						
	3rd main Road	1	30.00	(6.0+5.4)/2	-	171.00	
		1	30.00	(5.4+5.0)/2	-	165.00	

C&T Mohandas
Assistant Executive Engineer
Vidyaranyapura Sub Division
BBMP, Bangalore - 97

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
		1	30.00	(5.6+5.5)	-	166.50	
		1	30.00	(5.5+4.75)	-	153.75	
		1	30.00	(4.75+5.3)	-	150.75	
		1	32.80	(5.3+5.6)	-	178.76	
						985.76 m²	
	1) Providing, laying, spreading and compacting cracked stone aggregate to wet mix macadam specification including premixing the material with water at OMC in mechanical mix plant carriage of mixed material by tipper lorries laying in uniform layers with paver in sub base soil course on well prepared surface and compacting with vibratory roller at achieve the desired density complete as per specification						
	3rd Main Road	1	30.00	(6.0+5.8)	0.20	34.20	

Assistant Executive Engineer
Vidyaranyapura Sub Division
BBMP, Bangalore - 97

8.10.16

Serial No. .....
Name of Work .....
Name of Contractor of nature
Date of commencement of wo

Date	Full description, etc
1	2

Assistant Execu
Vidyaranyapura
BBMP, Ban

SUREMENT BOOK

Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
	30.00	(5.6+5.5)	-	166.50	
	30.00	(5.5+4.75)	-	153.75	
	30.00	(4.75+5.3)	-	150.75	
	32.80	(5.3+5.6)	-	178.76	
				985.76 m²	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
						218.20 m²	10.10.16
12)	Providing and applying primer coat with 5.5 bitumen emulsion on prepared surface of granular base such as WBM, WMM including cleaning of road surface and spraying primer at the rate of 0.60 kg/sq.m by mechanical means complete as per specifications						
	3rd main Road	1	30.00	(3.0+2.8)		87.00	
		1	30.00	(2.8+3.2)		90.00	
		1	30.00	(3.2+3.5)		100.50	
		1	30.00	(3.5+2.8)		94.50	
		1	30.00	(2.8+2.8)		85.50	
		1	32.80	(2.8+2.85)		94.50	

T BOOK

nsions			Contents	Reference to last Measurement
	Breadth 5	Depth 6	7	8
			218.20 m²	14/10/16
s bitumen emulsion on M. WMM including cleaning te @ 0.60 kg/sq.m using				
(3.0+2.8)			87.00	
(2.8+3.2)			90.00	
(3.2+3.5)			100.50	
(3.5+2.8)			94.50	
(2.8+2.9)			85.50	
(2.9+2.8+3.5)			94.50	

M. A. R. 57 (Rule 116)
Measurement Book

No. B

265142

Serial No. .....
Name of Work .....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

From..... To.....

Date 1	Full description, etc, of work 2	Dimensions: Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
	pot hole filling	1	18.40	6.00	-	110.40	
		1	2.00	1.80	-	3.60	
		1	4.60	1.00	-	4.60	
		1	5.30	2.40	-	12.72	
		1	11.60	4.60	-	53.36	
						736.48 m²	14.10.16

Assistant Executive Engineer
Vidyaranyapura Sub Division
BBMP, Bangalore - 97

13) providing and laying bituminous macadam on prepared surface with crushed aggregates as per design mix formula for ball / binding course including loading & aggregates with F.E loader hot mixed materials & stones aggregates and bitumen in hot mix plant hotmix capacity transporting the mixed material in tipper to paver and laying mixed materials with paver

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	finisher to the required level and grade rolling by power roller to achive the desired density 50 / 75mm compacted thickness with 3.8 % bitumen but excluding cost of primer / tack coat with head upto 1 Km including cost of materials etc complete as per specifications.						
	3rd Main Road	1	30.00	(3.0+2.8)	0.05	4.35	
		1	30.00	(2.8+3.2)	0.05	4.50	
		1	30.00	(3.2+3.5)	0.05	5.03	
		1	30.00	(3.5+2.8)	0.05	4.73	
		1	30.00	(2.8+2.9)	0.05	4.28	
		1	32.80	(2.9+2.85)	0.05	4.72	
						27.59 m^3	

Assistant Executive Engineer
Vidyaranyapura Sub Division
BBMP, Bangalore-97

15.10.16

Serial No. .....
Name of Work .....
Name of Contractor of nature of Age
Date of commencement of work .....

Date	Full description, etc, of wo
1	2
20)	providing and applying the prepared tack toppeal with spray etc complete 3rd Main Road

/1516

EMENT BOOK

Dimensions			Contents	Reference to last Measurement
Length 4	Breadth 5	Depth 6	7	8
rpole rolling by power roller to compacted thickness with 3.8 %. l layer coat with grade upto 1 Kg uired as per specification.				
30.00	(3.0+2.8)	0.05	4.35	
30.00	(2.8+3.2)	0.05	4.50	
30.00	(3.2+3.5)	0.05	5.03	
30.00	(3.5+2.8)	0.05	4.73	
30.00	(2.8+2.8)	0.05	4.28	
32.80	(2.8+2.75)	0.05	4.72	
			27.59 m³	

M. A. R. 57 (Rule 116)
Measurement Book

No. B

265143

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
	EIRL						
20)	providing and applying tack coat using 80/100 grade bitumen (VG-10) on the prepared black topped surfaces at 2.5 kgs per sqm using in boiler fitted with spray as complete						
	3rd main Road						
		1	30.00	(6.0+5.4)	-	171.00	
		1	30.00	(5.4+5.6)	-	165.00	
		1	30.00	(5.6+5.5)	-	166.50	
		1	30.00	(5.5+4.75)	-	153.75	
		1	30.00	(4.75+5.0)	-	150.75	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
		1	32.80	(5.3+5.0)/2	-	178.76	
						985.76 m²	

Assistant Executive Engineer
Vidyaranyapura Sub Division
BBMP, Bangalore - 97

Final and Final B

Improvements and

Serial No. area in ward No.

Name of Work

Name of Contractor of nature of A

Date of commencement of work ..

Date	Full description, etc, of w
1	2
	SOR code: 009-
	Work order: BBMP
	Est cost: 30.00
	1) Earth work excavation average horizontal thi surface leveled and neatly after making

EMENT BOOK

Dimensions			Contents	Reference to last Measurement
Length 4	Breadth 5	Depth 6	7	8
32.80	(5.3+5.0) / 2	-	178.76 985.76 m²	

First and Final Bill

M. A. R. 57 (Rule 116)

Measurement Book

No. B 265144

Serial No. .....

Name of Work Improvements and Asphalting to Roads at Vinayakthapura and surrounding area in Ward No. 09, in Vidyaranyapura Sub Division.

Name of Contractor of nature of Agency Suvendra B.T

From ..... To .....

Date of commencement of work BR-570/29/9/16

Date 1	Full description, etc, of work 2	Dimensions: Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
	Job code: 009-16-000004.						
	Work order: BBMP/EE/STP/WO/120/2016-17 Date: 31/08/2016.						
	Est cost: 30.00 Lakhs						
	1) Earth work excavation by manual means in ordinary soil involving an average horizontal throw up to 2m and an average lift upto 0.5m excavated surface leveled and sides neatly dressed the disposal earth to be leveled neatly after breaking of clods complete as per specification.						
	As per premeasurement Recorded vide page No: 265138 to 138 of this MB is					203.28 m³	15246.00

@ 75.00/m³

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	2) Removing B.S. slab & drain and stacking as complete as per specification As per premeasurement Recorded vide page No. 2051381 to 139 & this MB is					594.00 m²	
					@ Rs. 58.00/m²		34452.00
	3) Refixing stone slab & drain and pointing in CM(1:3) as complete as per specification Qty vide Item No: (02)					594.00 m²	
					@ Rs. 75.00/m²		44550.00
	4) providing and laying in position plain cement concrete in mix 1:4:8 with opc cement @ 180 kgs with hammu and down size crushed granite						

Serial No. .....
Name of Work .....
Name of Contractor of
Date of commencement

Date	Full descript
1	2
	metal cover
mixed cone
in foundatio
specificatio
	5) providing
strength

Dimensions			Contents	Reference to last Measurement
Length 4	Breadth 5	Depth 6	7	8
facing &c complete as per				
Recorded with pay			594.00 m²	
of this MB is				
		@ Rs. 58.00/m²		34452=00
pointing in CM (1:3) &c complete				
rete item No:	(02)		594:00 m²	
		@ Rs. 75.00/m²		44550=00
plain cement concrete of mix 1:4:8				
and down size cracked granite				

M. A. R. 57 (Rule 116)
Measurement Book

No. B 265145

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
	metal course aggregates @ 0.85cy and fine aggregates @ 0.57cy machine mixed concrete laid in layers not exceeding 15cm thick well compacted in foundation and plinth including cost of all materials &c complete as per specification						
	As per premeasurement Recorded vide Pay.No: 265139 to two of this MB is					29.80 m³	
	@ Rs. 4000:00/m³					119200=00	
5)	providing and constructing precast cement soiled block with compressive strength not less than 35kg/cm² with cement mortar 1:4 masonry (wall in, Tang						

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Closer blocks) with solid cement concrete blocks of size 40x20x20 cm conforming to IS 2185/1965 in superstructure including cost of materials etc complete as per specifications						
	3rd main RL	4x2	30.00	-	0.40	96.00	
		2	9.50	-	0.40	7.60	
		2	30.00	-	0.40	24.00	
		2	25.50	-	0.40	20.40	
		2	19.20	-	0.40	15.36	
	L/S New Nod	2	30.00	-	0.40	24.00	
		2	13.50	-	0.40	10.80	
	Existing Drain	2	5.40	-	0.40	4.32	
		2	15.00	-	0.40	12.00	
		2	21.80	-	0.40	17.44	
		3x2	30.00	-	0.40	72.00	
		2	31.00	-	0.40	24.80	

Serial No. .....
Name of Work .....
Name of Contractor of nature of
Date of commencement of work

Date	Full description, etc, o
1	2
	cross Road
	Moramma Temp

EMENT BOOK

Dimensions			Contents	Reference to last Measurement
Length 4	Breadth 5	Depth 6	7	8
oncrete blocks of size 40×20×20 cm in mixture including cost of				
location				
30.00	-	0.40	96.00	
9.50	-	0.40	7.60	
30.00	-	0.40	24.00	
25.50	-	0.40	20.40	
19.20	-	0.40	15.36	
30.00	-	0.40	24.00	
13.50	-	0.40	10.80	
5.40	-	0.40	4.32	
15.00	-	0.40	12.00	
21.80	-	0.40	17.44	
30.00	-	0.40	72.00	
31.00	-	0.40	24.80	

M. A. R. 57 (Rule 116)
Measurement Book

No. B 265146

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
		2	18.00	-	0.40	14.40	
	Cross Road	2×2	32.60	-	0.40	52.16	
		2×2	32.60	-	0.40	52.16	
		2×2	29.60	-	0.40	47.36	
	Moramma Temple RLS	3×2	30.00	-	0.40	72.00	
		2	5.00	-	0.40	4.00	
	LLS	2×2	30.00	-	0.40	48.00	
		2	15.00	-	0.40	12.00	
				Total Qty		630.40 Mt	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
				Qty upto	125%	325.00 m2	
				@ Rs. 993.00/m2			322725=00
				Qty above	125%	305.40 m3	
				@ Rs. 984.22/m2			300581=80
	6) Providing and laying in position Plain cement concrete of mix 1:2:4 with cement @ 240kg/cu.m with 20 mm and down size graded granite metal coarse aggregate @ 0.87 cu.m and fine aggregate @ 0.45 cu.m machine mixed concrete laid in layers not exceeding 15cm thick well compacted in foundation Plinth and other including cost of all materials etc complete as per specification						

Assistant Executive Engineer
Vidyaranyapura Sub Division
BBMP, Bangalore - 97

Serial No. .....
Name of Work .....
Name of Contractor of nature of
Date of commencement of work

Date	Full description, etc, o
1	2
	3rd Main Rd Bate

EMENT BOOK

Dimensions			Contents	Reference to last Measurement
Length 4	Breadth 5	Depth 6	7	8
@ Rs. 993.00/m³			325.00 m³	322725=00
@ Rs. 984.22/m³			305.40 m³	300581=00

Plain cement concrete of mix
20 mm and down size graded
aggregate and fine aggregate
ers not exceeding 15 cm thick well
and dress including cost of all
materials

M. A. R. 57 (Rule 116)
Measurement Book

No. B 265147

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
	3rd Main RS Bottom	3	30.00	0.45	0.10	4.05	
		1	9.50	0.45	0.10	0.43	
		2	30.00	0.45	0.10	2.65	
		1	25.50	0.45	0.10	1.15	
		1	19.20	0.45	0.10	0.86	
		1	5.40	0.45	0.10	0.24	
	L/S	1	15.00	0.45	0.10	0.68	
		1	21.80	0.45	0.10	0.98	
		3	30.00	0.45	0.10	4.05	
		1	31.00	0.45	0.10	1.40	
		1	8.20	0.45	0.10	0.37	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
20)	providing and applying tack coat using 80/100 grade bitumen (VG 10) on the prepared black topped surface at 2.5 kg per 10 sqm making bitumen in boiler fitted with spray set (exclusive cleaning of road surface) including cost of materials etc complete as per specification As per premeasurement Recorded vide page no. 265143 of this MB i/c					905.10 m²	
						@ Rs. 11.48/m²	10390.00
21)	providing and laying bituminous concrete 40 mm thick with hot mix plant using crushed aggregates of specified graded premixed with bituminous binder and filler transporting the hot mix to work site laying with paver finisher to the required grade, level and alignment rolling with smooth wheeled vibratory and rubber roller to achieve the desire compaction as per specification using 4 no 160 TPH capacity ITMP with mechanical paver fr. 11 (3.0 to 4.5 mm) with 6% VG-30 Bitumen						
	3rd main Road	1	30.00	(6.0+5.4)	0.04	6.96	

29/5

Serial No. .....
Name of Work .....
Name of Contractor of nature of Agenc
Date of commencement of work .....

Date	Full description, etc, of work
1	2

Checked. J

No. 29/

Pot hole filling

OOK

th	Depth 6	Contents 7	Reference to last Measurement 8
cole bitumen (VG 10) base leveling bitumen road surface) including			
ual price		905.10 Kg	
5 i/c			10380=00
11.48/Kg			
ium Truck with hor crusted premixed with ix to work site laying and alignment rolling achieve the desire apacity ie MP with 6-30 Bitumen			
0+5.4) 0.04		6.82	

M. A. R. 57 (Rule 116)
Measurement Book

No. B

265153

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions: Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
		1	30.00	(5.4+5.6)	0.04	6.60	
		1	30.00	(5.6+5.5)	0.04	6.66	
		1	30.00	(5.5+4.75)	0.04	6.15	
		1	30.00	(4.75+5.3)	0.04	6.03	
		1	32.80	(5.3+5.6)	0.04	7.15	
	Checked. INO (24)						
	29/9						
	Pothole filling	1	18.40	6.00	0.04	4.42	
		1	2.00	1.80	0.04	0.14	
		1	4.60	1.00	0.04	0.18	
		1	5.30	2.40	0.04	0.51	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
		1	11.60	4.60	0.04	2.13	
						43.5943	
						Rs. 7460.62/43	324337=00
					Total		28,69,648=00

Certificate:

Certified that the above work done is satisfactorily.

22.09.16

Assistant Executive Engineer
Vidyaranyapuram Sub Division
Mysore-97

Assistant Executive Engineer
Vidyaranyapuram Sub Division

Serial No. Key Plan

Name of Work .....

Name of Contractor of nature o

Date of commencement of work

Date	Full description, etc, o
1	2



BOOK

ions		Contents	Reference to last Measurement
Breadth 5	Depth 6	7	8
4.60	0.04	2.13	
		43.5943	
Rs. 7440.62/43			324337=00
Total			28,69,648=00

is satisfactorily.

22.09.16

Engineer
sion

M. A. R. 57 (Rule 116)
Measurement Book

No. B

265154

Serial No. Key Plan

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
	182.80m = 192.00m						

Sketch showing the work done spot:

69.50m 18.50m 43.50m 5.60m 150 120.00m 48.00m

29.60m

32.60m

32.60m 65.00m 15.00m 14.00m 20.50m

Mayamma Temple Road

20.10m 11.70m 75.00m 12.00

- New BC Slab drain
- Recovering slab
- Kerb Refixing
- B.C. Asphalt

Assistant Executive Engineer
Vidyaranyapura Sub Divisio

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Audited & Admitted for Rs 28696/48- 26.37,207- and Rs 2324/41- Bvelhavanapura On Bvalhavanapura On Board Board					T. Amt 28696- vat - 11478 6- Roy - 57393- Lwc - 28696- CBP - 2870- 2324A1-	
						24/X/16	

Serial No. .....
Name of Work .....
Name of Contractor of nature of
Date of commencement of work

Date	Full description, etc, o
1	2